




TECHNICAL INFORMATION | TRACK-MOUNTED CONE CRUSHERS

# MOBICONE MCO 13 S





## TECHNICAL HIGHLIGHTS

- Cone crusher with triple-deck screening unit as secondary or tertiary crusher
- Closed material loop for production of three defined final grain sizes
- Diesel-electric drive concept
- Linkage option with other KLEEMANN plants (option)

## TECHNICAL INFORMATION MCO 13 S

### Feeding unit

Feed capacity up to approx. (t/h)	650
Feed size max. (mm)	280
Feed height approx. (mm)	3,270
Feed height with extension approx. (mm)	4,535
Hopper volume (m <sup>3</sup> )	3.5
Hopper volume with extension (m <sup>3</sup> )	14.5
Feed opening W x L (mm)	3,600 x 2,100
Feed opening with extension W x L (mm)	4,900 x 2,900

### Vibrating feeder

Width x Length (mm)	1,200 x 3,400
---------------------	---------------

### Belt conveyor for transporting feed material

Width x Length (mm)	1,200 x 17,450
---------------------	----------------

### Screening unit

Type	triple-deck vibrating screen
Width x Length (lower deck) (mm)	2,350 x 6,000 (5,400)

### Discharge conveyor for screen underpass

Width x Length (mm)	1,600 x 10,000
Discharge height approx. (mm)	5,140

### Discharge conveyor for screen overpass - lower deck

Width x Length (mm)	650 x 8,000
Discharge height approx. (mm)	3,880

### Discharge conveyor for screen overpass - middle deck

Width x Length (mm)	800 x 8,000
Discharge height approx. (mm)	4,170

### Crusher

Crusher type	cone crusher, KX 400
Crusher system size (mm)	1,300
Crusher weight approx. (kg)	23,490
Crusher drive approx. (kW)	315
Crushing capacity with final grain size 0-32 mm (feed size 0 - 200 mm) approx. (t/h)	300
Crushing capacity for final grain size 0 - 45 mm (feed size 0 - 250 mm) approx. (t/h)	360
Crushing capacity with final grain size 0-56 mm (feed size 0 - 300 mm) approx. (t/h)	425

### Belt conveyor discharge for crushed material

Width x Length (mm)	1,200 x 8,800
---------------------	---------------

### Power supply unit

Drive concept	diesel-electric
Engine (kW)	481
Generator (kVA)	880

### Transport<sup>1)</sup>

Transport height approx. (mm)	4,350
Transport length approx. (mm)	22,595
Transport width max. (mm)	4,400
Transport weight approx. (kg)	115,000

<sup>1)</sup> plant dismantled for transportation, dimensions of main unit

**Options:** Probe control system / Magnetic remover / Metal detector / Spray system / External power supply / Lighting